

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Manhattan Pendant 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PD-13714 14"	2700K 90	AB Aged Brass	28W	2400	1794	Yes
	2700K 90	BN Brushed Nickel	31W	2405	2205	No

Example: **PD-13714-AB**

DESCRIPTION

Urban chic sophistication. Luminous fabric shade pendant

FEATURES

- Integral swivel for sloped ceilings
- Urban elegance & LED illumination softened with a fabric shade
- Three 12" and one 6" downrods included (additional downrods available)
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS


Color Temp:	2700K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	50000 Hours
Mounting:	Heavy gauge retention clips support trim firmly. Safety cabling standard.
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Dry Location Listed
Construction:	Aluminum hardware, fabric shade, polycarbonate diffuser.

REPLACEMENT PARTS

- RPL-ROD-IN06-BN - 6" rod - BN finish
- RPL-ROD-IN12-BN - 12" rod - BN finish
- RPL-SHA-13114 - Shade for PD-13714
- RPL-ROD-IN06-BB - 6" rod - AB finish
- RPL-ROD-IN12-BB - 12" rod - AB finish



FINISHES



Aged Brass Brushed Nickel

LINE DRAWING



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Manhattan Pendant 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PD-13720 20"	2700K 90	AB Aged Brass	32W	2800	2222	Yes
	2700K 90	BN Brushed Nickel	36W	2405	2360	No

Example: **PD-13720-AB**

DESCRIPTION

Urban chic sophistication. Luminous fabric shade pendant

FEATURES

- Integral swivel for sloped ceilings
- Urban elegance & LED illumination softened with a fabric shade
- Three 12" and one 6" downrods included (additional downrods available)
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	2700K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	50000 Hours
Mounting:	Heavy gauge retention clips support trim firmly. Safety cabling standard.
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Dry Location Listed
Construction:	Aluminum hardware, fabric shade, polycarbonate diffuser.

REPLACEMENT PARTS

- RPL-ROD-IN06-BN - 6" rod - BN finish
- RPL-ROD-IN12-BN - 12" rod - BN finish
- RPL-SHA-13120 - Shade for PD-13720
- RPL-ROD-IN06-BB - 6" rod - AB finish
- RPL-ROD-IN12-BB - 12" rod - AB finish




FINISHES



Aged Brass

Brushed Nickel

LINE DRAWING



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Manhattan Pendant 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PD-13726 26"	2700K 90	AB Aged Brass	48W	4200	3310	Yes
	2700K 90	BN Brushed Nickel	39W	3000	2825	No

Example: **PD-13726-AB**

DESCRIPTION

Urban chic sophistication. Luminous fabric shade pendant

FEATURES

- Integral swivel for sloped ceilings
- Urban elegance & LED illumination softened with a fabric shade
- Three 12" and one 6" downrods included (additional downrods available)
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	2700K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	50000 Hours
Mounting:	Heavy gauge retention clips support trim firmly. Safety cabling standard.
Standards:	ETL, cETL, Title 24 JA8-2016 Compliant Dry Location Listed
Construction:	Aluminum hardware, fabric shade, polycarbonate diffuser.

REPLACEMENT PARTS

- RPL-ROD-IN06-BN - 6" rod - BN finish
- RPL-ROD-IN12-BN - 12" rod - BN finish
- RPL-SHA-13126 - Shade for PD-13726
- RPL-ROD-IN06-BB - 6" rod - AB finish
- RPL-ROD-IN12-BB - 12" rod - AB finish



FINISHES



Aged Brass

Brushed Nickel

LINE DRAWING

