

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Brink Bathroom Sconce

| Model & Size | Color Temp & CRI | Watt | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|-------|------------|------------------|---------------------|
| WS-77612 12" | 2700K 90 | 10.5W | 863 | 779 | AL Brushed Aluminum |
| | 3000K 90 | 10.5W | 905 | 791 | BK Brushed Black |
| | 3500K 90 | 10.5W | 935 | 840 | BR Brushed Brass |

Example: **WS-77612-27-AL**

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

SPECIFICATIONS


| | |
|----------------------|---|
| Color Temp: | 3500K, 3000K, 2700K |
| Input: | 120-277 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 5% |
| Rated Life: | 85000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Energy Star 2.0 Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |



FINISHES



LINE DRAWING



WS-77612

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Brink Bathroom Sconce

| Model & Size | Color Temp & CRI | Watt | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|-------|------------|------------------|---------------------|
| WS-77618 18" | 2700K 90 | 15.5W | 1155 | 910 | AL Brushed Aluminum |
| | 3000K 90 | 15.5W | 1225 | 1015 | BK Brushed Black |
| | 3500K 90 | 15.5W | 1330 | 1115 | BR Brushed Brass |

Example: **WS-77618-27-AL**

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

SPECIFICATIONS


| | |
|----------------------|---|
| Color Temp: | 3500K, 3000K, 2700K |
| Input: | 120-277 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 5% |
| Rated Life: | 85000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Energy Star 2.0 Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |



FINISHES



LINE DRAWING



WS-77618

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Brink Bathroom Sconce

| Model & Size | Color Temp & CRI | Watt | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|-------|------------|------------------|---------------------|
| WS-77624 24" | 2700K 90 | 20.5W | 1595 | 1330 | AL Brushed Aluminum |
| | 3000K 90 | 20.5W | 1720 | 1440 | BK Brushed Black |
| | 3500K 90 | 20.5W | 1785 | 1510 | BR Brushed Brass |

Example: **WS-77624-27-AL**

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

SPECIFICATIONS


| | |
|----------------------|---|
| Color Temp: | 3500K, 3000K, 2700K |
| Input: | 120-277 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 5% |
| Rated Life: | 85000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Energy Star 2.0 Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |



FINISHES



LINE DRAWING



WS-77624

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Brink Bathroom Sconce

| Model & Size | Color Temp & CRI | Watt | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|------|------------|------------------|---------------------|
| WS-77636 36" | 2700K 90 | 30W | 2365 | 1985 | AL Brushed Aluminum |
| | 3000K 90 | 30W | 2445 | 2095 | BK Brushed Black |
| | 3500K 90 | 30W | 2561 | 2180 | BR Brushed Brass |

Example: **WS-77636-27-AL**

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

SPECIFICATIONS


| | |
|----------------------|---|
| Color Temp: | 3500K, 3000K, 2700K |
| Input: | 120-277 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100 - 5% |
| Rated Life: | 85000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Energy Star 2.0 Damp Location Listed |
| Construction: | Aluminum hardware with co-extruded acrylic diffuser |



FINISHES



LINE DRAWING



WS-77636